



**CCSBT-ESC/2408/08** 

# Data Exchange (ESC agenda item 13)

#### **Notes from the 2024 Data Exchange**

Here is a brief summary of issues with the 2024 Data Exchange:

- Korea did not provide Raised Length Data but submitted raw size data. It has not provided Raised Length Data since the requirement was introduced in 2015.
- Several datasets provided by Australia were submitted late due to cross-validation discrepancies, and some datasets provided by the Secretariat were submitted late due to the late Australian data and delays encountered by the scientific data contractor.
- The most recent Direct Age data Japan submitted was for 2018, which means that Japan has not met the reporting requirements for these data that require data to have been submitted for at least the 2021 calendar year.
- New Zealand's Raised Length Data in recent years were not raised to its total catch. New Zealand is revising its processes for this dataset but at the time of writing had not submitted revised data.

### **2025 Data Exchange Requirements**

Draft data exchange requirements for 2025 are provided in **Attachment A**. The attachment shows the proposed data that are to be provided during 2025 and the dates and responsibilities for the data provision.

These requirements are based on the 2024 data exchange requirements with all items rolled over and the dates incremented. The special conditions for the submission of Indonesia's Catch and Effort and Non-retained Catch data have been removed to be the same as other Members.

Catch effort and size data should be provided in the identical format as were provided in 2024. If the format of the data provided by a Member is changed, then the new format and some test data in that format should be provided to the Secretariat by 31 January 2025 to allow development of the necessary data loading routines.

Data listed in Attachment A should be provided for the complete 2024 calendar year plus any other year for which the data have changed. If changes to historic data are more than a routine update of the 2023 data or very minor corrections to older data, then the changed data will not be used until discussed at the next ESC meeting (unless there was specific agreement to the contrary). Changes to past data (apart from a routine update of 2023 data) must be accompanied by a detailed description of the changes.

### Prepared by the Secretariat

## **Attachment A**

Type of Data	Data	Due	
to provide.1	Provider(s)	Date	Description of data to provide
CCSBT Data CD	Secretariat	31 Jan 25	An update of the data (catch effort, catch at size, raised catch and tag-recapture) on the data CD to incorporate data provided in the 2024 data exchange and any additional data received since that time, including:  • Tag/recapture data ( <i>The Secretariat will provide additional updates of the tag-recapture data during 2025 on request from individual members</i> );  • Update the unreported catch estimates using the revised scenario (S1L1) produced at SAG9,
Total catch	all Members	30 Apr 25	Raised total catch (weight and number) and
by Fleet	and Cooperating Non- Members		number of boats fishing by fleet and gear. These data need to be provided for both the calendar year and the quota year.
Recreational catch	all Members and Cooperating Non- Members that have recreational catches	30 Apr 25	Raised total catch (weight and number) of any recreationally caught SBT if data are available. A complete historical time series of recreation catch estimates should be provided (unless this has previously been provided). Where there is uncertainty in the recreational catch estimates, a description or estimate of the uncertainty should be provided.
SBT import statistics	Japan	30 Apr 25	Weight of SBT imported into Japan by country, fresh/frozen and month. These import statistics are used in estimating the catches of non-member countries.
Mortality	all	30 Apr 25	The mortality allowance (kilograms) that was used
allowance	Members		in the 2024 calendar year. Data is to be separated
(RMA and	(&		by RMA and SRP mortality allowance. If
SRP) usage	Secretariat)		possible, data should also be separated by month and location.

<sup>&</sup>lt;sup>1</sup> The text "For MP/OM" means that this data is used for both the Management Procedure and the Operating Model. If only one of these items appears (e.g. <u>For OM</u>), then the data is only required for the specified item.

T CD 4	D. 4	D.	
Type of Data	Data Dravidar(s)	Due	Description of data to muscide
to provide.	Provider(s)	Date 22 A x x 25	Description of data to provide
Catch and	all Members	23 Apr 25	Catch (in numbers and weight) and effort data is
Effort	(&	(New	to be provided as either shot by shot or as
	Secretariat)	Zealand). <sup>2</sup>	aggregated data (New Zealand provides fine scale
		20 1 25	shot by shot data which is aggregated and
		30 Apr 25	distributed by the Secretariat). The maximum
		(other Members &	level of aggregation is by year, month, fleet, gear,
			and 5x5 degree (longline fishery) or 1x1 degree for surface fishery. Indonesia will provide
		Secretariat)	estimates based on either shot by shot or as
		31 Jul 24	aggregated data from the trial Scientific Observer
		(Indonesia)	Program.
Non-retained	All Members	30 Apr 25	The following data concerning non retained
catches	All Mellibers	(all Members	catches will be provided by year, month, and 5*5
Catches		except	degree for each fishery:
		Indonesia)	Number of SBT reported (or observed) as
		maonesia)	being non-retained;
		31 Jul 24	Raised number of non-retained SBT taking
		(Indonesia)	into consideration vessels and periods in
		(maonesia)	which there was no reporting of non-
			retained SBT;
			Estimated size frequency of non-retained
			SBT after raising;
			<ul> <li>Details of the fate and/or life status of non-</li> </ul>
			retained fish.
			Indonesia will provide estimates based on either
			shot by shot or as aggregated data from the trial
			Scientific Observer Program.
RTMP catch	Japan	30 Apr 25	The catch and effort data from the real time
and effort	Japan	30 Apr 23	monitoring program should be provided in the
data			same format as the standard logbook data is
Gutu			provided.
Raised catch	Australia,	30 Apr 25	Aggregated raised catch data should be provided
data for AU,	Secretariat	30 11p1 23	at a similar resolution as the catch and effort data.
NZ catches	Secretariat		Japan, Korea and Taiwan do not need to provide
1 (Z catelles			anything here because they provide raised catch
			and effort data. New Zealand does not need to
			provide anything here because the Secretariat
			produces New Zealand's raised catch data from
			the fine scale data provided by New Zealand.
Raised	Secretariat	30 Apr 25	Raised New Zealand number of hooks data, to be
number of		F	provided to NZ only, generated from NZ fine
hooks data			scale data by the Secretariat.
for NZ			,
catches			

<sup>&</sup>lt;sup>2</sup> The earlier date specified for New Zealand is so that the Secretariat will be able to process the fine scale New Zealand data in time to provide aggregated and raised data to members by 30 April.

Type of Data	Data	Due	
to provide.1	Provider(s)	Date	Description of data to provide
Observer length frequency data	New Zealand	30 Apr 25	Raw observer length frequency data as provided in previous years.
Raised Length Data	Australia, Taiwan, Japan, New Zealand, Korea	30 Apr 25 (Australia, Taiwan, Japan, Korea)  7 May 25 (New Zealand) <sup>3</sup>	Raised length composition data should be provided <sup>4</sup> at an aggregation of year, month, fleet, gear, and 5x5 degree for longline and 1x1 degree for other fisheries. Data should be provided in the finest possible size classes (1 cm). A template showing the required information is provided in Attachment C of CCSBT-ESC/0609/08.
Raw Length Frequencies RTMP Length data	South Africa Japan	30 Apr 25 30 Apr 25	Raw Length Frequency data from the South African Observer Program.  The length data from the real time monitoring program should be provided in the same format as
Indonesian LL SBT age and size composition	Australia Indonesia	30 Apr 25	the standard length data.  Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2023 to June 2024. Length frequency for the 2023 calendar year and age frequency for the 2023 calendar year is also to be provided. Indonesia will provide size composition in length and weight based on the Port-based Tuna Monitoring Program. Australia will provide age composition data according to current data exchange protocols.
Direct ageing data	All Members except the EU	30 Apr 25	Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2022 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code <sup>5</sup> , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code <sup>6</sup> , Sex Code, Comments.  It is planned that the Secretariat will provide the direct age estimates for Indonesia through a contract with CSIRO.

<sup>&</sup>lt;sup>3</sup> The additional week provided for New Zealand is because New Zealand requires the raised catch data that the Secretariat is scheduled to provide on 30 April.

<sup>&</sup>lt;sup>4</sup> The data should be prepared using the agreed CCSBT substitution principles where practicable. It is important that the complete method used for preparing the raised length data be fully documented.

<sup>5</sup> M1=1 minute, D1=1 degree, D5=5 degree.

<sup>6</sup> Scales (0-5) of readability and confidence for otolith sections as defined in the CCSBT age

determination manual.

Type of Data	Data	Due	
to provide.1	Provider(s)	Date	Description of data to provide
Trolling survey index	Japan	30 Apr 25	Estimates of the different trolling indices (piston-line index (TRP) and grid-type trolling index (TRG)) for the 2024/25 season (ending 2025), including any estimates of uncertainty (e.g. CV).
Gene tagging data For OM and MP	Secretariat	30 Apr 25	An estimate of juvenile abundance, number of releases and harvest samples, number of matches and CV of the estimate from the gene-tagging study through a contract with CSIRO. The mark-recapture data which includes the tagging release data (e.g. date of tagging, length of fish), tag recapture data (e.g. recapture sample date, length) and whether or not a genetic match with a release tissue was found.
Close Kin Data For OM and MP	Secretariat	30 Apr 25	Updated dataset of identified SBT parent- offspring pairs and half-sibling using SNPs. This is a deliverable of the SBT annual close-kin tissue sampling, processing, kin identification and Indonesian ageing project conducted by CSIRO under contract to the CCSBT.
Tag recapture data	All Members	30 Apr 25	Information on recaptured SRP tags that have not been previously reported to the Secretariat
Catch at age data	Australia, Taiwan, Japan, Secretariat	14 May 25	Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand and Korea using the same routines it uses for the CPUE input data and the catch at age for the MP.
Global SBT catch by flag and by gear	Secretariat	22 May 25	Global SBT catch by flag and gear as provided in recent reports of the Scientific Committee.
Raised catchat-age for the Australia surface fishery. For OM	Australia	24 May 25. <sup>7</sup>	These data will be provided for July 2023 to June 2024 in the same format as previously provided.
Raised catch- at-age for Indonesia spawning ground fisheries. For OM	Secretariat	24 May 25	These data will be provided for July 2023 to June 2024 in the same format as on the CCSBT Data CD.

\_

 $<sup>^{7}</sup>$  The date is set 1 week before 1 June to provide sufficient time for the Secretariat to incorporate these data in the data set it provides for the OM on 1 June.

Tag return summary data  Total catch per fishery and sub- fishery each year from 1952 to 2024. For OM  Catch-at- length (2 cm bins) and catch-at-age proportions. For OM  Global catch at age  Global catch at age  Global catch at age  CPUE input data  Provider(s)  Provider(s)  Provider  Australia, Japan, and quality assurance series.  31 May 25  The Secretariat will use the various data sets provided above together with previously agreed calculation methods to produce the necessary total catch by fishery and total catch by sub-fishery data required by the Operating Model.  The Secretariat will use the various catch at length and catch at age data sets provided above to produce the necessary length and age proportion data required by the operating model (for LL1, LL2, LL3, LL4 - separated by Japan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE series  Japan Taiwan, Japan, Taiwan, Japan, Taiwan, Secretariat Total catch The Secretariat will use the various data sets provided above together with previously agreed calculation methods to produce the necessary total catch by fishery and total catch by sub-fishery data required by the Operating Model.  The Secretariat will use the various data sets provided above to produce the necessary total catch by fishery and total catch by sub-fishery data required by the Operating Model.  The Secretariat will use the various data sets provided above to produce the necessary total catch by fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishi	Type of Data	Data	Due	
recaptured per month and season.  Total catch per fishery and sub-fishery each year from 1952 to 2024.  For OM  Catch-at-length (2 cm bins) and catch-at-age proportions.  For OM  Global catch at age  Global catch at age  CPUE input data  CPUE series for OM and MP  CPUE series series.  Secretariat  Secretariat and Australia, 15 Jun 25 (carlier if Taiwan, assurance series.  Secretariat and Australia, 15 Jun 25 (carlier if Taiwan, assurance series.  Secretariat and Australia, 15 Jun 25 (carlier if Taiwan, assurance series.  The Secretariat will use the various catch at length actach at age data sets provided above to produce the necessary length and age proportion data required by the operating model (for L11, L12, L13, L14 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within L11).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (L14 and L13) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  Scretariat if Japan, For MP  Australia, 15 Jun 25 (carlier if Taiwan, Sossible)  Scretariat if Japan, For MP  Australia, 15 Jun 25 (carlier if Taiwan, Sossible)  Scretariat in May 25  CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)				
The Secretariat will use the various data sets provided above together with previously agreed calculation methods to produce the necessary total catch by fishery and total catch by sub-fishery data required by the Operating Model.	_	Secretariat	31 May 25	
Total catch per fishery and sub-fishery each year from 1952 to 2024.  For OM  Catch-atlength (2 cm bins) and catch-at-age proportions.  For OM  Global catch at age  Global catch at age  CPUE input data  CPUE series for OM and MP  CPUE series series.  Secretariat  Japan, Taiwan, and quality assurance series.  The Secretariat will use the various catch at length catch at age data sets provided above to produce the necessary length and gae proportion data required by the Operating model.  The Secretariat will use the various catch at length and catch at age data sets provided above to produce the necessary length and gae proportion data required by the Operating model (for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will use the various catch at length and catch at age data sets provided above to produce the necessary length and each part age that sets provided above to produce the necessary total catch data sets provided above to produce the necessary tength subtributed and catch at age data sets provided above to produce the necessary length and each sets provided by the Operating model (for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will use the various catch at length and catch at age data sets provided above to produce the necessary length and each sets provided for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will use the various catch at length and catch at age data sets provided for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will use the various catch at length and catch at age d	~			recaptured per month and season.
per fishery and sub- fishery each year from 1952 to 2024. For OM  Catch-at- length (2 cm bins) and catch-at-age proportions. For OM  Global catch at age  Global catch at age  Global catch at age  CPUE input data  CPUE series for OM and MP  CPUE series for OM Aund MP  CPUE series for OM and MP  CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5)¹0 (Japan)  Taiwan Standardised CPUE (Taiwan)			21.15 25	
and sub- fishery each year from 1952 to 2024. For OM Catch-at- length (2 cm bins) and catch-at-age proportions. For OM  Global catch  Global catch at age  Attach-at-age in 2024 according to Attachment 7 of the MPWS4 report except that actach-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calc number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  S CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  S CPUE series are to be pr		Secretariat	31 May 25	
fishery each year from 1952 to 2024. For OM  Catch-at- length (2 cm bins) and catch-at-age proportions. For OM  Global catch at age  Global catch at length and catch at age data sets provided above to produce the necessary length and age proportion at age data sets provide above to produce the necessary length and catch at age data sets provided above to produce the necessary length and catch at age data sets provided above to produce the necessary length and catch at age data sets provided for L1,  LL2, LL3, LL4, LL5, LL5, LL5, LL5, LL5, LL5, LL5				
year from 1952 to 2024.  For OM  Catch-at- length (2 cm bins) and catch-at-age proportions.  For OM  Global catch at age  Global catch at age  CPUE input data  CPUE series for OM and  CPUE series GPUE series for OM and  CPUE monitoring and quality and australia, monitoring and quality ansurance series.  Glack at age  data required by the Operating Model.  The Secretariat will use the various catch at length and catch at age data sets provided above to produce the necessary length and age proportion data required by the operating model (for LL1, LL2, LL3, LL4 - separated by Japan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE series  GPUE series  GPUE series  GPUE series  GPUE  Australia, Japan, CPUE  Australia, Japan, CPUE  Socretariat  Japan, CPUE  Australia, Japan, CPUE  Socretariat  Japan,				<u> </u>
The Secretariat will use the various catch at length and catch at age data sets provided above to produce the necessary length and age proportion data required by the operating model (for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Global catch at age  Global catch at age  Global catch at age  Secretariat  All May 25  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  CPUE series  GOM and  MP  CPUE series  for OM and  MP  CPUE  Australia,  Japan,  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  Secretariat  Secretariat  31 May 25  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  Secretariat  31 May 25  CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)	•			
Catch-at-   Catch-at-   Catch-at-   Catch-at-   Catch-at-   Catch-at-   Catch-   C	-			data required by the Operating Moder.
Catch-atlength (2 cm bins) and catch-at-age proportions.  For OM  Global catch at age  Global catch at age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  Global catch at age data sets provided above to produce the necessary length and age proportion al landonesia, and the surface fishery). The  Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE series  Global catch at age data sets provided for SLT in LL2, LL3, LL4 - separated by Japan and Indonesia, and the surface fishery). The  Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for SBT and number				
length (2 cm bins) and catch-at-age proportions.  For OM  Global catch at age  Global catch at age data sets provided above to produce the necessary length and age proportion data required by the operating model (for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  Global catch at age data sets provided by apan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE series  Global catch at age data sets provided for LL1, LL2, LL2, LL4 and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fishery).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar y		Secretariat	31 May 25	The Secretariat will use the various catch at length
bins) and catch-at-age proportions.  For OM  Global catch at age  Taiwan age  Global catch at age  Global catch at age  Taiwan, age  Global catch at length adax subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)		Beeretariat	31 Way 23	<u> </u>
catch-at-age proportions.  For OM  Global catch at age  CPUE input data  CPUE series for OM and MP  CPUE series monitoring and quality assurance series.  Catch-at-age proportions.  Idata required by the operating model (for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)	_			
For OM    CPUE input data   Secretariat   Se	· · · · · · · · · · · · · · · · · · ·			
Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).    Global catch at age	_			
Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).  Global catch at age  Secretariat  31 May 25  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  CPUE input data  CPUE series  for OM and  MP  CPUE  Australia, monitoring and quality assurance series.  Secretariat  31 May 25  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)				
Global catch at age  Global catch  Global ca				
Global catch at age  Secretariat  31 May 25  Calculate the total catch-at-age in 2024 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  Secretariat  Secretariat  31 May 25  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series  for OM and  MP  CPUE  Australia, possible)  Australia, Japan, (earlier if possible)  Taiwan, sasurance series.  Secretariat  31 May 25  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  5 CPUE series are to be provided for ages 4+, as specified below:  • Nominal (Australia)  • B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  • Geostat proxy (W0.8) <sup>10</sup> (Japan)  • Taiwan Standardised CPUE (Taiwan)				data subdivided by sub fishery (e.g. the fisheries
to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  Secretariat  Secretariat  Secretariat  31 May 25  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series  for OM and MP  CPUE  Australia, possible)  CPUE  Australia, possible)  Taiwan, sequence series.  Secretariat  15 Jun 25 (earlier if possible)  5 CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)				′
catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  Secretariat  Secretariat  Secretariat  31 May 25  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series  for OM and  MP  CPUE  Australia, I5 Jun 25  (earlier if possible)  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  S CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)	Global catch	Secretariat	31 May 25	
LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.  CPUE input data  Secretariat  Secretariat  Secretariat  31 May 25  Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series  for OM and  MP  CPUE  Australia,  possible)  CPUE  Australia,  Japan,  cearlier if possible)  Taiwan,  series.  Series  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  5 CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5).  Geostat proxy (W0.5).  Geostat proxy (W0.8)  Taiwan Standardised CPUE (Taiwan)	at age			
calendar year to better match the inputs to the operating model.  CPUE input data  Secretariat				_
CPUE input data  CPUE input data  Secretariat  Secretaria				
CPUE input data  Secretariat  Secretariae  S				•
data  each age class from 0-20+ using proportional aging) and effort (sets and hooks) data by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series  Japan  15 Jun 25  (earlier if possible)  CPUE  Australia,  Taiwan,  assurance  series.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  5 CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5). (Japan)  Geostat proxy (W0.8). (Japan)  Geostat proxy (W0.8). (Japan)  Taiwan Standardised CPUE (Taiwan)	CDITE:	G	21.14 25	
aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series  for OM and  MP  CPUE  Australia, and quality assurance series.  aging) and effort (sets and hooks) data <sup>8</sup> by year, month, and 5*5 lat/long for use in CPUE analysis.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  5 CPUE series are to be provided for ages 4+, as specified below:  • Nominal (Australia) • B-Ratio proxy (W0.5). (Japan) • Geostat proxy (W0.8) (Japan) • Taiwan Standardised CPUE (Taiwan)	_	Secretariat	31 May 25	,
month, and 5*5 lat/long for use in CPUE analysis.  CPUE series  Japan  15 Jun 25 (earlier if possible)  CPUE  Australia, Japan, (earlier if and quality assurance series.  Korea  month, and 5*5 lat/long for use in CPUE analysis.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  5 CPUE series are to be provided for ages 4+, as specified below:  Nominal (Australia)  B-Ratio proxy (W0.5) <sup>10</sup> (Japan)  Geostat proxy (W0.8) <sup>10</sup> (Japan)  Taiwan Standardised CPUE (Taiwan)	Gata			
CPUE series  for OM and  MP  CPUE  Australia, and quality assurance series.  CPUE  Japan  15 Jun 25 (earlier if possible)  CPUE  Australia, and quality assurance series.  CPUE series based on the standardisation method developed in 2022 using generalised additive model (GAM).  5 CPUE series are to be provided for ages 4+, as specified below:  • Nominal (Australia) • B-Ratio proxy (W0.5) <sup>10</sup> (Japan) • Geostat proxy (W0.8) <sup>10</sup> (Japan) • Taiwan Standardised CPUE (Taiwan)				
for OM and MP(earlier if possible)developed in 2022 using generalised additive model (GAM).CPUE monitoring and quality assurance series.Australia, Japan, (earlier if possible)15 Jun 25 (earlier if possible)5 CPUE series are to be provided for ages 4+, as specified below: • Nominal (Australia) • B-Ratio proxy (W0.5) • Geostat proxy (W0.5) • Taiwan Standardised CPUE (Taiwan)	CPLIE series	Ianan	15 Jun 25	·
MPpossible)model (GAM).CPUE monitoring and quality assurance series.Australia, Japan, Taiwan, Some (earlier if possible)5 CPUE series are to be provided for ages 4+, as specified below: • Nominal (Australia) • B-Ratio proxy (W0.5) • Geostat proxy (W0.8) • Taiwan Standardised CPUE (Taiwan)		Japan	10 0 011 20	
CPUE monitoring and quality assurance series.  Australia, Japan, (earlier if possible).  Taiwan, Some  B-Ratio proxy (W0.5).  Geostat proxy (W0.8).  Taiwan Standardised CPUE (Taiwan)			`	1 6 6
monitoring and quality assurance series.    Japan, Taiwan, Bossible   Possible   Possibl		Australia.	<u> </u>	,
and quality assurance series.  Taiwan, Korea  possible).  Nominal (Australia)  B-Ratio proxy (W0.5).  Geostat proxy (W0.8).  Taiwan Standardised CPUE (Taiwan)				<u> </u>
assurance series.  • B-Ratio proxy (W0.5) <sup>10</sup> (Japan) • Geostat proxy (W0.8) <sup>10</sup> (Japan) • Taiwan Standardised CPUE (Taiwan)	_	_	`	*
<ul> <li>Geostat proxy (W0.8)<sup>10</sup> (Japan)</li> <li>Taiwan Standardised CPUE (Taiwan)</li> </ul>		,		,
Taiwan Standardised CPUE (Taiwan)	series.			
				Korean Standardised CPUE (Korea)

<sup>&</sup>lt;sup>8</sup> Data restricted to months April to September, SBT statistical areas 4-9, and the Japanese, Australian

joint venture and New Zealand joint venture fleets.

9 When there are no complications, it is possible to calculate the CPUE series less than two weeks after the CPUE input data is provided. Therefore, if there are no complications, Members should attempt to provide the CPUE series earlier than 15 June.

10 This series is based on the standardisation model by Nishida and Tsuji (1998) using all vessel data.

Due to loss of data from Japanese-flagged charter vessels in the New Zealand fishery from 2016 onward, these indices are calculated combining areas 4 and 5, areas 6 and 7, respectively.